



# LOCOMOTIVE FACTSHEET

General Electric C30-EMP

BE EXPONENTIAL



# GENERAL ELECTRIC C30-EMP



<b>OEM</b>	General Electric	<b>Maximum Speed</b>	103 km/h
<b>Model</b>	GE C30-EMP	<b>Wheel Gauge</b>	1067 mm
<b>Dimensions</b>	Height - 3,7 m Width - 2,7 m Length (Coupler to coupler) - 18,9 m	<b>Wheel Diameter (New)</b>	915 mm
<b>Horse Power</b>	3000 HP	<b>Dynamic Braking</b>	Yes
<b>Engine Type</b>	GE 7FDL12 EFI	<b>Brakes</b>	28-LAV-1
<b>Fuel Capacity</b>	6000 Litres	<b>Brakes Type</b>	Vacuum and air
<b>Weight</b>	113,1 Tonnes	<b>Couplers</b>	Type E
<b>Axle Load</b>	18,85 Tonnes	<b>Diagnostics / Event Recorder</b>	Yes
<b>Wheel Arrangements</b>	Co-Co	<b>Slow Speed</b>	Yes
<b>Minimum Curve Radius</b>	80 m	<b>Continuous Tractive Effort</b>	259,7 kN at 26 km/h